



# Desktop Manager

- Multifunctional monochrome system for high quality documents at speeds of up to 52 ppm
- Sophisticated e-BRIDGE technology for flexible workflow solutions and network integration
- Large colour LCD touch panel for an intuitive and effective user experience
- Equipped with the Toshiba Secure HDD for highest document security standards
- Compliant with ENERGY STAR® criteria thanks to the low energy consumption



**e-STUDIO477s**  
**e-STUDIO527s**



SAP® Printer Vendor Solution





# Highly reliable and professional document managers: The e-STUDIO477s/527s

Toshiba introduces two brand new A4 monochrome systems which deliver high quality document output. Designed to meet the most challenging demands of today's offices these systems offer all features required to enhance efficiency

## Made for you

In today's business world you need reliable office equipment which is capable of meeting your individual needs. Flexible configuration, hassle-free integration into existing workflows and user-friendliness are essential if you want to increase your efficiency. The e-STUDIO477s/527s offer exactly that.

## Elegant design packed with functionality

Both systems are network capable and offer advanced print, colour scan, copy and optional fax functionality. With

a print speed of 47 and 52 pages per minute respectively, they ensure that even larger print jobs can be processed in a timely manner.

Various options enable you to configure a tailor-made system. By adding additional paper sources you can increase your paper capacity up to 3,160 sheets. Stapling can be made available via the offline stapler, which can staple up to 20 sheets, or via the inner finisher, which can not only staple up to 50 sheets automatically, but also functions as an additional output tray with a 500-sheet capacity. And to optimise your digital

document workflow Toshiba offers a large range of software solutions. So whatever your needs – the e-STUDIO systems will always be a perfect fit.

## Easy efficiency

To be efficient you need a system which is easy to use. The e-STUDIO477s/527s feature a 9-inch colour LCD touch panel which allows intuitive access all the functions. The possibility to store individual user templates and settings increase the usability of the systems.

Additionally, preferred settings can also be saved in the Toshiba Universal Printer Driver. This way creating professional looking documents can be done with just a few clicks directly from the application you are using.



The optional Toshiba e-BRIDGE Re-Rite software enables you to convert hard copies into editable and searchable files.



### Outstanding image quality

Fine lines and tiny dots are reproduced with exceptional clarity and sharpness.

Whether text or images, whether monochrome prints and copies or colour scans – the documents created with the e-STUDIO477s/527s will impress.

### Flexible – now and in future

The sophisticated Toshiba e-BRIDGE controller guarantees you full flexibility. It allows the easy integration of additional software and gives you access to advanced administration of your entire Toshiba fleet. The e-BRIDGE controller is designed in such a way that when your business grows your Toshiba system can easily adapt to the new requirements.

### Ultimate security

Your data is valuable and needs to be protected. The 160 GB Toshiba Secure HDD, with which the e-STUDIO477s/527s are equipped, offer state-of-the-art protection. The 256-bit AES encryption combined with the self-wiping technology make it virtually impossible for your data to fall into the wrong hands.

## Environment

Environmental issues are becoming more and more important in today's world. Businesses try to reduce their impact on the environment and Toshiba helps achieve this. Duplex printing to save paper and energy save modes to reduce the power consumption are just some of the features of the e-STUDIO477s/527s to minimise the use of valuable resources. Both models fully comply with the ENERGY STAR® emission standards.

What's more, the e-STUDIO477s/527s are delivered carbon neutral via Toshiba's Carbon Zero Scheme to help you reduce the impact of your printing and copying.





**e-STUDIO477s**  
**e-STUDIO527s**



<b>General</b>	<p><b>Print &amp; Copy Speed</b> 47/52 ppm  <b>Warm-up Time</b> Approx. 35 seconds  <b>Paper Size &amp; Weight</b> Cassette: A5-A4, 64-220 gsm          Bypass: A6-A4, 64-250 gsm  <b>Paper capacity</b> banner paper (up to 216 x 1321 mm, 80-128 gsm)          1 x 530 sheets (Cassette), 100 sheets (Bypass)          Maximum 3,160 sheets  <b>Automatic Duplex</b> A5-A4, 64-220 gsm  <b>Inner Output Tray</b> 500 sheets  <b>Controller Type</b> Toshiba e-BRIDGE  <b>Controller Panel</b> 9" (22.8 cm) colour touch panel LCD  <b>Memory</b> Toshiba Secure HDD 160GB<sup>1)</sup> HDD / 2GB RAM  <b>Interface</b> 10/100/1000 BaseT (incl. IPv6), High Speed USB 2.0, WLAN<sup>2)</sup> (IEEE802.11b/g/n)  <b>Dimension &amp; Weight</b> 522 x 564 x 811 mm (W x D x H), ~ 47 kg  <b>Starter kit</b> Toner, Drum</p>
<b>Print</b>	<p><b>Resolution</b> 600 x 600 dpi,          1,200 x 1,200 dpi (1 bit, PS driver only)  <b>Page Description Language</b> XPS, PCL 6 and PostScript 3 compatible  <b>Supported Systems</b> Windows 8/7/Vista/XP/Server 2008/ Server 2003 (32/64 bit), Server 2012/ Server 2008R2 (64 bit), Mac OS X 10.4.11-10.8, Citrix, Linux/Unix, Novell NetWare (NDPS), SAP, AS/400  <b>Print Functions</b> Universal Printer Driver, One-Touch Templates, Driver plug-ins<sup>2)</sup>, Print from USB, Multiple pages per sheet</p>
<b>Scan</b>	<p><b>Resolution</b> Max. 600 x 600 dpi  <b>Scan Speed</b> 52/40 ipm (monochrome/colour with 300 dpi)  <b>Document Feeder</b> Simplex: Max 100 sheets, A6-A4, 60-105 gsm          Duplex: Max. 100 sheets, A5-A4, 60-105 gsm  <b>Scan Modes</b> Auto-Colour (ACS), Colour, Greyscale, Monochrome  <b>File Formats</b> JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim PDF, Searchable PDF<sup>2)</sup> (and other formats like DOCX, XLSX, RTF, TXT, PDF/A)<sup>2)</sup>  <b>Scan Functions</b> WS scan, Scan to USB, Scan to E-Mail, Scan to File (SMB, FTP, FTPS, SPX/IPX, local), Meta Scan<sup>2)</sup>, Scan to Box (e-filing), WIA, TWAIN</p>
<b>Copy</b>	<p><b>Resolution</b> Scan: 600 x 600 dpi          Print: 600 x 600 dpi  <b>First Copy Output Time</b> Approx. 8 seconds  <b>Zoom</b> 25-400% (platen), 25-200% (RADF)  <b>Copy Modes</b> Text, Text/Photo, Photo  <b>Copy Functions</b> Electronic sort, ID card copy, Edge Erase, 2-in-1 / 4-in-1 mode</p>
<b>Fax<sup>2)</sup></b>	<p><b>Communication</b> Super G3, G3, Internet Fax T.37  <b>Transmission Speed</b> Approx. 3 seconds per page  <b>Compression</b> JBIG, MMR, MR, MH  <b>Fax Memory</b> 1GB Transmission/Reception  <b>Network-fax</b> Driver Windows 8/7/Vista/XP/ Server 2008/ Server 2003 (32/64 bit), Server 2012/ Server 2008R2 (64 bit)  <b>Incoming Fax Routing</b> To shared folders (SMB, FTP, IPX), E-Mail, e-Filing</p>
<b>System &amp; Security</b>	<p><b>Device Management</b> e-BRIDGE Fleet Management System<sup>2)</sup>, Top Access for remote administration and configuration  <b>System Features</b> e-Filing document server for secure storage, document distribution and print on demand (1 public box, 200 user boxes), 12,060 One-Touch Templates for storage of personalised settings or workflows, Scan/fax preview, Rip-while-Print, e-BRIDGE Open Platform<sup>2)</sup>, Embedded Web Browser, Job Skip  <b>Accounting &amp; Security</b> Role Based Access, LDAP support, 1,000 department &amp; 10,000 user codes, card reader<sup>2)</sup>, privat print, standard data encryption with Toshiba Secure HDD, Data Overwrite Enabler<sup>2)</sup>, IP and MAC address filter, port filter, support of SSL and IPSec<sup>2)</sup> protocols, IEEE802.1x support, Scan to Secure PDF</p> <p>Productivity and paper specifications are related to a paper size of A4 and a paper weight of 80 gsm if not otherwise mentioned.</p>

**OPTIONS**

**PAPER FEED UNIT – MY-1046**

530-sheet cassette, A5-A4, 64-220 gsm  
 522 x 485 x 136 mm (W x D x H) ~ 7.3 kg

**LARGE CAPACITY FEEDER – KD-1040**

2,000 sheets (1 cassette), A4, 64-220 gsm  
 705 x 758 x 404 (W x D x H) ~ 31 kg

**INNER FINISHER – MJ-1038**

1 tray, 500-sheet capacity  
 50-sheet stapling, offset stacking  
 A5-A4, 64-104 gsm (stapling mode)  
 387 x 566 x 215 mm (W x D x H), ~ 8.3 kg

**OFFLINE STAPLER – MJ-1039**

20-sheet offline stapler, one position

**CASTER – GR-1170**

Stabiliser  
 795 x 765 x 132 mm (W x D x H, incl. Stand), ~ 14.7 kg

**SPACER – GR-1160**

522 x 485 x 136 mm (W x D x H) ~ 5.3 kg

**OTHER OPTIONS**

- DESK – MH-3400
- FAX BOARD – GD-1340EU
- WIRELESS LAN MODULE – GN-1060
- e-BRIDGE ID-GATE – TWN3/4xx
- DATA OVERWRITE ENABLER – GP-1070
- META SCAN ENABLER – GS-1010
- IPsec ENABLER – GP-1080
- UNICODE ENABLER – GS-1007
- e-BRIDGE RE-RITE – GB-1280

<sup>1)</sup> 1GB = 1 billion bytes; the actual formatted capacity is less. Available capacity will also be less if software applications are pre-installed.  
<sup>2)</sup> optional

Technical data is subject to change without prior notice. All company and/or product names, are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries. All rights reserved. We are constantly making efforts to deliver the latest status of data to our partners. Specifications for some models may change in the time between the production and the release of this documentation. Copyright © 2013 TOSHIBA TEC. BR827s

**TOSHIBA TEC UK  
IMAGING SYSTEMS LTD**

ABBEEY CLOISTERS, ABBEEY GREEN,  
 CHERTSEY, SURREY KT16 8RB  
 TEL 01932 580100 FAX 01932 580101  
 WWW.TOSHIBATEC.CO.UK

Follow us on @ToshibaTEC\_UK



Jav.63492.0813

**TOSHIBA**  
 Leading Innovation >>>

6BY0COP1592